

FIGURE 1

PHA/IL-2 α CD3/ α CD28 α CD3/ α CI.I α CD3/ α CD2 α CD3/ α CD4 α CD3/ α CD5 α CD3/ α CD7 Stim.:




FIGURE 3

D9027205.D2208

A.

Probe:

Stimulation:

Hrs Post-Stimulation:

28S

18S

CXCR4 / Fusin PHA CD3/CD28 U 24 72 24 72 1

В.

Probe:

Stimulation:

Hrs Post-Stimulation:

28S

U

18S>

CCR5

PHA CD3/CD28

72 24

3 2 1

C.

Probe:

Stimulation:


Hrs Post-Stimulation:

rRNA 28S

PHA CD3/CD28 U 24 72 24 72

5 3 2 1





DRAFTSMAN

O:G. FIG. CLASS SUBCLASS

Medium CD3/28 CD3/28/ CD3/28/ MHC I CTLA-4

bcl-X_L

Medium CD3/28 CD3/ CD3/ MHC1 CTLA-4

01 S S T ON OI S T ON OI S S T ON OI S

bcl-X_L

SSCHOOL OF SCHOOL

DSGRYBOS OFFOSE

CD3/ CD28/ CTLA-4 3:7 CD3/ CD28/ CTLA-4 1:9 CD3/ NONE GLY CD3/ CD28 STIMULATION


GAG GLOBIN TIME


TACE FEEL SE

CD3/28/GLY

CD3/B7-2

CD3/28/CTLA-4





zε

CCR5 MsIg2a




FIGURE 8

Dominant

DSDEVELUS . GEELSE

CTLA-4

Susceptible ->

Dominant CD28 low β chemokines high β chemokines low CCR5 high CCR5 Resistant Antigen induced clonal expansion

FIGURE 9